



### **Overview**

Get wireless two-sided printing,[1] smart setup and mobility solutions,[2] and MFP productivity.

A high-productivity MFP with the fastest two-sided printing in its class[2] and the time-saving HP Smart app.[6][7] Count on peace of mind from more reliable connections,[1] and a worry-free experience with simplified setup.

### Work fast. Work smart.

Speed through multipage documents with the fastest in-class two-sided printing speed.[2]

#### Easy to set up, easy to use

Get started fast with easy setup that guides you, step by step. Simply download the HP Smart app, connect to a network, and share your printer across all your devices.[6]

#### Stay productive from anywhere

Get high-quality scanning, and share to Dropbox, Google Drive, email, or the cloud – from virtually anywhere – with HP Smart app.[6]

# Help make a positive impact on the environment

This HP LaserJet meets ecolabel requirements, including ENERGY STAR® and BLUE ANGEL.

### **Features**





Fastest in-class two-sided printing speed<sup>[2]</sup>

Small size. Big performance.

 $((\uparrow))$ 

Your reliable connection<sup>[1]</sup>

Seamless setup<sup>[6]</sup>



Amazing scanning, now on your smartphone<sup>[6]</sup>

Printing just got more productive<sup>[6]</sup>

[1] Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at hp.com/go/mobileprinting. Wi-Fi is a registered trademark of Wi-Fi Alliance®. Supports both 5.0 GHz and 2.4 GHz using up to 12 non-overlapping channels vs only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) vs 2.4 GHz band (up to 72.2 mbps). Internet access required and must be purchased separately.

[2] Compared to in-class monochrome laser printers and MFPs less than \$210 USD or 220€ for single function or less than \$310 USD or 320€ for multifunction, all with a published maximum monthly duty cycle of 20,000 or lower. Buyers Lab September 2020 study commissioned by HP, based on a research survey OEM published specifications publicly available information as of 09/01/2020. Market share as reported by IDC Quarterly Hardcopy Peripherals Tracker - Final Historical 2020Q2 for North America and EMEA. For details: www.keypointintelligence.com/HPFastestDuplex.

[6] Requires the HP Smart app download. For details on local printing requirements see www.hp.com/go/mobileprinting. Certain features/software are available in English language only, and differ between desktop and mobile applications. See details at www.hptonerservice.com. Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores. Fax capabilities are for sending a fax only, and may require additional purchase. For more information, see www.hpsmart.com/mobile-fax.

[7] Based on internal HP testing. Average timing estimate based on: 1) downloaded HP Smart app on mobile device, 2) setting up Shortcut, 3) scanning jobs which have more than 2-3 tasks associated with them (scan to email, save and rename, store to cloud, etc.). Average timing savings comparison based on using printer and desktop scan software to complete similar scanning tasks. Requires the HP Smart app download and supported HP printer. For details on local printing requirements see hp.com/go/mobileprinting. Certain features/software are available in English language only.

## Specifications

Print quality black (best)	Up to 600 x 600 dpi
Print speed black (ISO, A4)	Up to 29 ppm
Print speed black (ISO, letter)	Up to 30 ppm
Print speed	Print speed up to 30 ppm (black)
Bottom margin (A4)	6 mm
Left margin (A4)	5 mm
Right margin (A4)	5 mm
Top margin (A4)	6 mm
Functions	Print, copy, scan
Duplex printing	Auto-duplex
Duty cycle (monthly, A4)	Up to 20,000 pages
Printer smart software features	Automatic duplex printing, HP Auto-On/Auto-Off[1], HP Smart App[2] <sup>[1,2]</sup>
Energy savings feature technology	HP Auto-on/Auto-off Technology
Replacement cartridges	Regular Replacement Cartridge for DM1: HP 134A Black LaserJet Toner Cartridge, W1340A (~1100), HP 134X Black LaserJet Toner Cartridge, W1340X (~2400); Regular Replacement Cartridge for DM2: HP 135A Black LaserJet Toner Cartridge, W1350A (~1100), HP 135X Black LaserJet Toner Cartridge, W1350X (~2400); Regular Replacement Cartridge for RoEM: HP 136A Black LaserJet Toner Cartridge, W1360A (~1150), HP 136X Black LaserJet Toner Cartridge, W1360X (~2600); Regular Replacement Cartridge for China & India: HP 137A Black LaserJet Toner Cartridge, W1370A (~1150), HP 137X Black LaserJet Toner Cartridge, W1370X (~2600) <sup>[4]</sup>
Supplies feature	HP JetIntelligence Cartridge
Connectivity, standard	1 Gigabit Ethernet 10/100/1000 Base-TX network; 1 Hi-Speed USB 2.0 (device); Wireless 802.11b/g/n, Dual band 2.4GHz/5GHz
Network capabilities	1 Ethernet 10/100Base-TX; 1 built-in Wi-Fi 802.11b/g/n
Wireless capability	Yes, built-in Wi-Fi 802.11b/g/n
Mobile printing capability	Apple AirPrint™; HP Smart App; Mopria™ Certified; Wi-Fi® Direct Printing
Network protocols, supported	TCP/IP: IPv4; IPv6; LPD; SLP; Bonjour; WS-Discovery; BOOTP/DHCP/AutoIP; SNMP v 1/2/3;HTTP/HTTPS; UDP; IPP
Software included	No CD inbox (expect Indonesia and China Gov); Downloadable Software from hp.com or 123.hp.com; #CD include HP Software Installer, Uninstaller, printer driver and other essential tools

Compatible Operating Systems	<ul> <li>Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; macOS 10.14 Mojave; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux</li> <li>(Not supporting Windows® XP (64-bit) and Windows Vista® (64-bit) Full solution software available only for Windows 7 and newer; For Windows Server 2008 R2 64-bit, 2012 64-bit, 2012 R2 64-bit, 2016 64-bit only print driver is installed. Windows RT OS for Tablets (32 &amp; 64-bit) uses a simplified HP print driver built into the RT OS; Linux systems use in-OS HPLIP software.)</li> </ul>
Technical features	Compact size; Scan-to-cloud; Scan-to-folder
Sustainable impact specifications	Mercury free
Energy star certified	No
Ecolabels	EPEAT® Silver
Blue Angel compliant	Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies
Copy speed (black, normal quality, A4)	Up to 29 cpm
Copy speed black (normal, letter)	Up to 30 cpm
Faxing	No
Scan speed (normal, A4)	Up to 19 ppm (b&w), up to 10 ppm (color)
Scan file format	JPEG, TIF, PDF, BMP, PNG
Scan input modes	HP Smart App; and user applications via Twain
Display area (imperial)	1.22 x 1.06 in
Display area (metric)	31 x 27 mm
Display	1.27" Icon LCD
Minimum dimensions (W x D x H)	368.0 x 298.6 x 241.9 mm
Minimum dimensions (W x D x H)	14.49 x 11.76 x 9.52 in
Weight	7.6 kg
Weight	16.76 lb
Power consumption	<ul> <li>453 watts (active printing), 3.3 watts (ready), 0.6 watts (sleep), 0.6 watts (Auto Off/Wake on LAN, enabled at shipment), 0.04 watts (Auto-off/Manual-on), 0.04 (Manual Off)</li> <li>(Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.)</li> </ul>
Power supply type	Built-in 110V or 200V Power Supply
	HP LaserJet MFP M236dw Printer; HP Black LaserJet Toner Cartridge (~700
What's in the box	pages); Dust Cover; Reference Guide; Setup Poster; Warranty Guide & Flyer in some countries; CD ROM containing documentation and software in some countries; Power cord; USB cable <sup>[3]</sup>

## Additional specifications

Acoustic power emissions (active, printing)	6.6 B(A)
Acoustic power emissions (ready)	2.6 B(A)
Acoustic power note	Configuration tested: simplex printing, A4 paper at an average of 29 ppm
Acoustic pressure emissions bystander (active, printing)	51 dB(A)
Acoustic pressure emissions bystander (ready)	16 dB(A)
Automatic paper sensor	Yes
Best technical electricity consumption (TEC) footnote	[9] Based on the Blue Angel TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.
Bit depth	24-bit
Cable included	Yes, 1 USB cable for all regions
Cartons per layer	8
Certifications and compliances	RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), CCC (China), BIS (India), KC (South Korea), Malaysia, Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, UL, Paraguay, Indonesia, Singapore, Philippines, etc.
Color or black	Black and white
Color scanning	Yes
Compatible Network Operating Systems	Windows 11; Windows Server; Linux
Connection type	Wireless
Control panel	Icon LCD; 3 lights (Media, Toner, Lid open); 10 buttons (Wi-Fi, Minus, Menu, Plus, Copy, ID copy, Info, Resume, Cancel, Power)
Copier settings	Number of Copies; Lighter/Darker; Optimize; Paper size/type
Copies, maximum	Up to 99 copies
Copy reduce / enlarge settings	25 to 400%
Copy resolution (black text)	Up to 600 x 600 dpi
Count of layers in pallet	6
Country of origin	Made in Vietnam
Downloadable software	From 123.hp.com: HP Smart for Windows 10, Mac, Mobile (Android and iOS); From hp.com: Full-solution software and drivers (with installer) and HP Easy Start; Product Documentation and Support; HP Print and Scan Doctor; From Mobile OS: See "HP Mobile Printing" (www.hp.com/go/mobileprinting); From In-OS app stores: HP Smart; HP Print Service Plugin; From hp.com for printer administrators: Linux Print Drivers; HP Web JetAdmin Software (HP SNMP Proxy Agent); ReadIris Software.
Driver updates	123.hp.com

Duplex ADF scanning	No
Duty cycle note	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
Electromagnetic compatibility	CISPR32:2012 & CISPR32:2015 /EN55032:2012 & EN55032:2015+AC:2016 - Class B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6.
Envelope Feeder	NA
First copy out black (A4)	As fast as 10.3 sec
First copy out black (A4, sleep)	As fast as 10.4 sec
First copy out black (letter)	As fast as 10 sec
First copy out black (letter, sleep)	As fast as 10.1 sec
First page out black (A4, ready)	As fast as 7 sec
First page out black (A4, sleep)	As fast as 7.6 sec
First page out black (letter, ready)	As fast as 6.9 sec
First page out black (letter, sleep)	As fast as 7.5 sec
First page out footnote	[8] Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
Input capacity	Up to 150 sheets
Internal Storage	No
Internal Storage Levels of grayscale	No 256
-	
Levels of grayscale	256
Levels of grayscale Mac compatible Maximum Input Capacity	256 Yes
Levels of grayscale Mac compatible Maximum Input Capacity (envelopes)	256 Yes Up to 10 envelopes
Levels of grayscale Mac compatible Maximum Input Capacity (envelopes) Maximum Memory	256 Yes Up to 10 envelopes 64 MB
Levels of grayscale         Mac compatible         Maximum Input Capacity (envelopes)         Maximum Memory         Maximum dimensions (W x D x H)	256 Yes Up to 10 envelopes 64 MB 14.49 x 16.52 x 17.18 in
Levels of grayscale         Mac compatible         Maximum Input Capacity (envelopes)         Maximum Memory         Maximum dimensions (W x D x H)         Maximum dimensions (W x D x H)	256 Yes Up to 10 envelopes 64 MB 14.49 x 16.52 x 17.18 in 368.0 x 419.6 x 436.3 mm
Levels of grayscale         Mac compatible         Maximum Input Capacity (envelopes)         Maximum Memory         Maximum dimensions (W x D x H)         Maximum dimensions (W x D x H)         Maximum input capacity (sheets)	256 Yes Up to 10 envelopes 64 MB 14.49 x 16.52 x 17.18 in 368.0 x 419.6 x 436.3 mm Up to 150 sheets
<ul> <li>Levels of grayscale</li> <li>Mac compatible</li> <li>Maximum Input Capacity (envelopes)</li> <li>Maximum Memory</li> <li>Maximum dimensions (W x D x H)</li> <li>Maximum dimensions (W x D x H)</li> <li>Maximum input capacity (sheets)</li> <li>Maximum output capacity (sheets)</li> </ul>	256 Yes Up to 10 envelopes 64 MB 14.49 x 16.52 x 17.18 in 368.0 x 419.6 x 436.3 mm Up to 150 sheets
Levels of grayscale         Mac compatible         Maximum Input Capacity (envelopes)         Maximum Memory         Maximum dimensions (W x D x H)         Maximum dimensions (W x D x H)         Maximum nput capacity (sheets)         Maximum output capacity (sheets)         Maximum print area	256 Yes Up to 10 envelopes 64 MB 14.49 x 16.52 x 17.18 in 368.0 x 419.6 x 436.3 mm Up to 150 sheets Up to 100 sheets 216 x 354 mm
<ul> <li>Levels of grayscale</li> <li>Mac compatible</li> <li>Maximum Input Capacity (envelopes)</li> <li>Maximum Memory</li> <li>Maximum dimensions (W x D x H)</li> <li>Maximum dimensions (W x D x H)</li> <li>Maximum nput capacity (sheets)</li> <li>Maximum print area</li> <li>Media size, tray 1</li> </ul>	256 Yes Up to 10 envelopes 64 MB 14.49 x 16.52 x 17.18 in 368.0 x 419.6 x 436.3 mm Up to 150 sheets Up to 150 sheets 216 x 354 mm
<ul> <li>Levels of grayscale</li> <li>Mac compatible</li> <li>Maximum Input Capacity (envelopes)</li> <li>Maximum Memory</li> <li>Maximum dimensions (W x D x H)</li> <li>Maximum dimensions (W x D x H)</li> <li>Maximum input capacity (sheets)</li> <li>Maximum output capacity (sheets)</li> <li>Maximum print area</li> <li>Media size, tray 1</li> <li>Media sizes supported</li> </ul>	256 Yes Up to 10 envelopes 64 MB 14.49 x 16.52 x 17.18 in 368.0 x 419.6 x 436.3 mm Up to 150 sheets Up to 150 sheets 216 x 354 mm A4; A5; A6; B5 (JIS)
<ul> <li>Levels of grayscale</li> <li>Mac compatible</li> <li>Maximum Input Capacity (envelopes)</li> <li>Maximum Memory</li> <li>Maximum dimensions (W x D x H)</li> <li>Maximum dimensions (W x D x H)</li> <li>Maximum output capacity (sheets)</li> <li>Maximum print area</li> <li>Media size, tray 1</li> <li>Media sizes supported</li> <li>Media sizes supported</li> </ul>	256 Yes Up to 10 envelopes 64 MB 14.49 x 16.52 x 17.18 in 368.0 x 419.6 x 436.3 mm 368.0 x 419.6 x 436.3 mm Up to 150 sheets Up to 150 sheets 216 x 354 mm A4; A5; A6; B5 (JIS) A4; A5; A6; B5 (JIS)

Media sizes, custom	4 x 6 to 8.5 x 14 in
Media type and capacity, tray 1	Sheets: 150; Envelopes: 10
Media types	Paper (laser, plain, rough, vellum), Envelopes, Labels, Cardstock, Postcard
Media weight (tray 1)	60 to 163 g/m²
Media weight, supported	16 to 43 lb
Media weight, supported	60 to 163 g/m²
Memory	64 MB
Memory Slots	No
Memory card compatibility	No
Memory upgrade	Νο
Minimum System Requirements	Microsoft® Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer.
Minimum System Requirements for Macintosh	Apple® macOS v10.14 Mojave, macOS v10.15 Catalina, macOS v11 Big Sur; 2 GB HD; Internet required
Mobile printing capability footnote	Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at hp.com/go/mobileprinting. Apple Airprint -Mobile device must have AirPrint <sup>®</sup> . Wi-Fi Direct <sup>®</sup> printing- Feature is supported on select printers. Mobile device needs to be connected directly to the signal of a Wi-Fi Direct <sup>®</sup> supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/mobileprinting. Wi-Fi Direct is a registered trademark of Wi-Fi Alliance <sup>®</sup> . The Mopria <sup>®</sup> Logo is a registered and/or unregistered trademark of Mopria Alliance, Inc. in the United States and other countries. unauthorised use is strictly prohibited. Requires the HP Smart app download. For details on local printing requirements see hp.com/go/mobileprinting. Certain features/software are available in English language only, and differ between desktop and mobile applications. Internet access required and must be purchased separately. HP account required for full functionality. Fax capabilities are for sending a fax only, and may require additional purchase. For more information, see: hpsmart.com/mobile-fax.
Model number	M236dw
Native scan file format	JPG; PDF
Non-Operating Humidity Range	10 to 90% RH
Number of print cartridges	1 (black)
Number of users	1-5 Users
Operating humidity range	10 to 80% RH
Operating temperature range	59 to 90.5⁰F
Operating temperature range	15 to 32.5ºC
Output capacity	Up to 100 sheets
Package dimensions (W x D x H)	497 x 298 x 388 mm
Package dimensions (W x D x H)	19.6 x 11.7 x 15.3 in
Package weight	9.6 kg

Package weight	21.1 lb
Page yield (set-up/inbox cartridges)	M234/M235/M236/M237: In box cartridge yields ~700 black pages based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see: http://www.hp.com/go/toneryield. Pages may vary based on customer printing conditions and usage. M233/M232: In box cartridge yields ~1150 black pages based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see: http://www.hp.com/go/toneryield. Pages may vary based on customer printing conditions and usage.
Page yield footnote	[5] Approximate yield. Actual yield depends on printer and specific use. See http://www.hp.com/go/pageyield for more information.
Pallet dimensions	47.24 x 39.37 x 97.4 in
Pallet dimensions (W x D x H)	1200 x 1000 x 2474 mm
Pallet weight	483.5 kg
Pallet weight	1063.7 lb
Paper handling input, standard	150-sheet input tray
Paper handling output, standard	100-sheet output tray
Paper trays, maximum	1
Paper trays, standard	1
Power	110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz/50 Hz, 4.8 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 60 Hz/50 Hz, 2.8 A. Not dual voltage, power supply varies by part number with # Option code identifier.
Print Technology	Laser
Print colors	No
Print languages	PCLmS; URF; PWG
Print quality black (normal)	600 x 400 dpi, 600 x 600 dpi
Print speed black (Landscape, A5)	Up to 29 ppm
Print speed black (Portrait, A5)	Up to 7 ppm
Print speed duplex (A4)	Up to 18 ipm
Print speed duplex (letter)	Up to 19 ipm
Print speed footnote (A5)	[6] Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
Print speed footnote number (A5)	[6]
Print technology	Laser
Printer Management	HP Printer Assistant (UDC); HP Device Toolbox

Printer smart software features footnote	[1] HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade. [2] Requires the HP Smart app download. For details on local printing requirements see www.hp.com/go/mobileprinting. Certain features/software are available in English language only, and differ between desktop and mobile applications. See details at www.hptonerservice.com. Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores. Fax capabilities are for sending a fax only, and may require additional purchase. For more information, see: www.hpsmart.com/mobile-fax.
Processor speed	500 MHz
Product long name specifications	HP LaserJet MFP M236dw Printer, Black and white Printer for Small Office, Print, copy, scan, Print from phone or tablet; Two-sided printing; JetIntelligence cartridge
Product short name specifications	HP LaserJet M236dw Wireless Multifunction Black and white Printer, Copier, Scanner; Duplex
Quantity per pallet	48
RMN number	SHNGC-1901-01
Recommended media weight (duplex)	60 to 105 g/m²
Recommended media weight (duplex)	16 to 28 lb
Recommended monthly page volume	200 to 2,000
Recommended monthly page volume note	HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
Recommended monthly scan volume	150 to 1500
Volume	
Recommended operating humidity range	30 to 70% RH
Recommended operating humidity	30 to 70% RH 63.5 to 77°F
Recommended operating humidity range Recommended operating	
Recommended operating humidity rangeRecommended operating temperature rangeRecommended operating temperature range	63.5 to 77ºF
Recommended operating humidity rangeRecommended operating temperature rangeRecommended operating temperature range	<ul> <li>63.5 to 77°F</li> <li>17.5 to 25°C</li> <li>[4] Declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.</li> </ul>
Recommended operating humidity rangeRecommended operating temperature rangeRecommended operating temperature rangeRecommended operating temperature rangeReplacement cartridges footnote	63.5 to 77°F 17.5 to 25°C [4] Declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield EN 60950-1:2006 +A11:2009 +A1:2010 +A12:2011+A2:2013; IEC 60950- 1:2005 +A1:2009+A2:2013; IEC/EN 62368-1:2014; CAN/CSA C22.2 No. 62368-1, 3rd Edition; UL62368-1, 3rd Edition; IEC/EN 60825-1 3rd
Recommended operating humidity rangeRecommended operating temperature rangeRecommended operating temperature rangeRecommended operating temperature rangeSafety	63.5 to 77°F 17.5 to 25°C [4] Declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield EN 60950-1:2006 +A11:2009 +A1:2010 +A12:2011+A2:2013; IEC 60950- 1:2005 +A1:2009+A2:2013; IEC/EN 62368-1:2014; CAN/CSA C22.2 No. 62368-1, 3rd Edition; UL62368-1, 3rd Edition; IEC/EN 60825-1 3rd Edition; EN 62479:2010 / IEC 62479:2010
Recommended operating humidity   Recommended operating   temperature range   Recommended operating   temperature range   Replacement cartridges footnote Safety Scan resolution, hardware	63.5 to 77°F 17.5 to 25°C [4] Declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield EN 60950-1:2006 +A11:2009 +A1:2010 +A12:2011+A2:2013; IEC 60950- 1:2005 +A1:2009+A2:2013; IEC/EN 62368-1:2014; CAN/CSA C22.2 No. 62368-1, 3rd Edition; UL62368-1, 3rd Edition; IEC/EN 60825-1 3rd Edition; EN 62479:2010 / IEC 62479:2010

Scan speed footnote	[11] Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
Security management	Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2; TLS 1.0/1.1 disabled by default; Update to OpenSSL version 1.1.1; enable/disable Network ports; SNMPv1, SNMPv2, and SNMPv3, community password change; Secure defaults, Encrypted data at rest, Active FW update, Admin password by default, Cipher & TLS selection; Account lockout; Secure Wi-Fi setup
Segment (filter)	Small office
Software scan file format	JPEG, RAW(BMP), PNG, TIFF, PDF
Standard media sizes (duplex)	A4
Standard media sizes (duplex, imperial)	Letter
Standard output capacity (envelopes)	Up to 10 envelopes
Storage temperature range	-4 to 140°F
Storage temperature range	-20 to 60°C
Target user and print volume	For teams up to 5 users; Prints up to 20,000 pages/month
Tariff numbers	8443310000
Telecom compliance (fax capability)	Wireless: EU RED 2014/53/EU; EN 301 489-1 V2.2.3 / EN 301 489-17: V3.2.0; EN 300 328: V2.1.1 / EN301 893 V2.1.1; FCC Title 47 CFR, Part 15 Subpart C & E / RSS 247 Issue 1, 2015 & RSS 102 Issue 5, 2015; IEC 62311:2007 / EN62311:2008
Top key features	Two-sided printing
Twain version	Version 2.1
Typical electricity consumption (TEC) footnote	[10] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.
Typical electricity consumption (TEC) number	0.256 kWh/Week (Energy Star); 0.684 kWh/Week (Blue Angel) <sup>[10]</sup>
UNSPSC code	43212110
UPC number	(B13) 194850669873; (B19) 194850670329; (BBU) 194850667473
Warm-up time	As fast as 45 sec
Warranty	DM1: HP Commercial/Limited Warranty applicable only in the USA, CA, AU, and NZ. For details visit: www.hp.com/go/tonerwarranty. DM2: Only intended for sale and use in the EEA, CH, UK, and IL. HP Commercial Warranty only applicable in these listed countries/regions. For more information, visit: www.hp.com/go/tonerwarranty. EM1: Not intended for sale nor warrantied by HP in the USA, AU, NZ, EEA, CH, UK, IL, CN, and IN. HP Limited Warranty applies in all countries/regions EXCEPT those listed. For more information, visit: www.hp.com/go/tonerwarranty. EM2: Only intended for sale in China and India. HP Commercial Warranty only applicable in these listed countries/regions. For more information, visit: www.hp.com/go/tonerwarranty.

[3] For yield information on the cartridge included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.

[1] HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.

[2] Requires the HP Smart app download. For details on local printing requirements see www.hp.com/go/mobileprinting. Certain features/software are available in English language only, and differ between desktop and mobile applications. See details at www.hptonerservice.com. Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores. Fax capabilities are for sending a fax only, and may require additional purchase. For more information, see: www.hpsmart.com/mobile-fax.

[3] For yield information on the cartridge included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.

[4] Declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield

[10] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.

## Ink/Toner/Paper/Printer Supplies

## **HP Laser Toner Cartridges and Kits**

### HP Black and White Laser Toner Printer Cartridges

HP 137A Black Original LaserJet Toner Cartridge	W1370A ★
HP 137X High Yield Black Original LaserJet Toner Cartridge	W1370X ★
HP 134A Black Original LaserJet Toner Cartridge	W1340A
HP 134X High Yield Black Original LaserJet Toner Cartridge	W1340X
HP 135A Black Original LaserJet Toner Cartridge	W1350A
HP 135X High Yield Black Original LaserJet Toner Cartridge	W1350X
HP 136A Black Original LaserJet Toner Cartridge	W1360A
HP 136X High Yield Black Original LaserJet Toner Cartridge	W1360X

★ : Recommended

### **HP Home & Office Papers**

### HP Home & Office Papers for laser and inkjet

HP MultiPurpose20TM, 20 lb, 11 x 17 in. (279 x 432 mm), 250 sheets	HPM1720P
HP MultiPurpose20TM, 20 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets	HPM1120R
HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets	HPM1420P

## Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Oct 15, 2024 6:18 PM UTC+0000