


Centreo

The range of  
**Central Motors**  
from Somfy

*Quality that's central to your requirements!*



# CENTREO

Because a high-quality opening is an essential requirement



## 100% compliant with safety standards

Personal safety is of paramount importance. The integrated brake is able to hold up to 1.2 times the nominal torque, ensuring that the shutter is safe every time it stops (EN 60335-2-103).

In addition, the moving parts of the motor and electrical cables are entirely inaccessible (EN 60335-1 §23-6, § 25-23).



## Easy to move manually the curtain


Centreo is equipped with a built-in declutching system that directly takes action on the gearbox which allows an effortless manual opening in case of power failure.



Declutch handle kit 9013927

## Quick and easy to install

Centreo offers quick and simple installation. It features a new fastening system, which has been specially developed to make the installation process easier, and memory rings to set end-of-travel points.



## ★ Compatible with all the range of Somfy controls


						
<b>Axroll Plus</b> 1841033	<b>Dry contact receiver</b> 1841102	<b>Keytis RTS</b> 1841026	<b>Wired external key switch with flush mount IP54</b> 1850048	<b>Universal key switch</b> 1805116		
						
<b>Declutching kit with classic handle</b> 9017544	<b>Kit Adaptation MC Ø60/34</b> 9015363	<b>Kit Adaptation MC Ø60/42</b> 9015364	<b>Kit Adaptation MC Ø60/48</b> 9015366	<b>Spacers kit</b> ø 220-ø 240 mm de 10 pièces - 9016731	<b>Declutching keyswitch</b> 1805229A	<b>Declutching security box + switch</b> 1805253A

## ★ A wide range of compact motors

Centreo's compact design means that it can be used to motorise narrow curtains.

With a wide range of Centreo motors available, you will be able to find the right motor, whatever the size of your opening.

	References	For gate up to	Wheel Ø mm	Tube Ø mm	Brake and declutching	Power W	Speed rpm	Current A	End-of-travel capacity	Weight kg	Length mm	
											La	Lb
Centreo S	1207077	120 kg <sup>(1)</sup>	200	60 <sup>(2)</sup>	Avec	230	10	1	12 rpm	4.9 <sup>(3)</sup>	360	-
Centreo 1	1207028	170 kg <sup>(1)</sup>	200	60 <sup>(2)</sup>	Avec	300	10	1.3	12 rpm	6.5 <sup>(3)</sup>	342	-
Centreo 1	1207029	170 kg <sup>(1)</sup>	200	60 <sup>(2)</sup>	Sans	300	10	1.3	12 rpm	6.5 <sup>(3)</sup>	342	-
Centreo 1	1207030	160 kg <sup>(1)</sup>	220	60 <sup>(2)</sup>	Avec	300	10	1.3	12 rpm	6.5 <sup>(3)</sup>	342	-
Centreo 1	1207031	160 kg <sup>(1)</sup>	220	60 <sup>(2)</sup>	Sans	300	10	1.6	12 rpm	6.5 <sup>(3)</sup>	342	-
Centreo 2	1207032	200 kg <sup>(1)</sup>	200	60 <sup>(2)</sup>	Avec	360	10	1.6	12 rpm	6.8 <sup>(3)</sup>	357	342
Centreo 2	1207033	200 kg <sup>(1)</sup>	200	60 <sup>(2)</sup>	Sans	360	10	1.6	12 rpm	6.8 <sup>(3)</sup>	357	342
Centreo 2	1207034	190 kg <sup>(1)</sup>	220	60 <sup>(2)</sup>	Avec	360	10	1.6	12 rpm	6.8 <sup>(3)</sup>	357	342
Centreo 2	1207035	190 kg <sup>(1)</sup>	220	60 <sup>(2)</sup>	Sans	360	10	1.6	12 rpm	6.8 <sup>(3)</sup>	357	342
Centreo 2	1207036	190 kg <sup>(1)</sup>	220	76	Avec	360	10	1.6	12 rpm	6.8 <sup>(3)</sup>	357	342
Centreo 2	1207037	190 kg <sup>(1)</sup>	220	76	Sans	360	10	1.6	12 rpm	6.8 <sup>(3)</sup>	357	342
Centreo 3	1207040	230 kg <sup>(1)</sup>	220	60 <sup>(2)</sup>	Avec	450	10	2	12 rpm	7 <sup>(3)</sup>	372	357
Centreo 3	1207041	230 kg <sup>(1)</sup>	220	60 <sup>(2)</sup>	Sans	450	10	2	12 rpm	7 <sup>(3)</sup>	372	357
Centreo 3	1207042	230 kg <sup>(1)</sup>	220	76	Avec	450	10	2	12 rpm	7 <sup>(3)</sup>	372	357
Centreo 3	1207048	200 kg <sup>(1)</sup>	240	76	Avec	450	10	2	12 rpm	7 <sup>(3)</sup>	372	357
Centreo 4	1207043	300 kg <sup>(1)</sup>	220	60 <sup>(2)</sup>	Avec	650	10	2.85	12 rpm	10.5 <sup>(3)</sup>	342	342
Centreo 4	1207045	300 kg <sup>(1)</sup>	220	76	Avec	650	10	2.85	12 rpm	10.5 <sup>(3)</sup>	342	342
Centreo 4	1207046	285 kg <sup>(1)</sup>	240	76	Avec	650	10	2.85	12 rpm	10.5 <sup>(3)</sup>	342	342



<sup>(1)</sup> for a perfectly-balanced curtain, with a wheel Ø of 220 mm

<sup>(2)</sup> motor can be adapted for tube Ø of 34, 42 and 48 mm, using an adaptor kit

<sup>(3)</sup> weight of motor with a wheel Ø of 220 mm

# Middle East & Africa

## Somfy Offices

### LEBANON

Abi Habib,  
Chaaya & Azar Bldg,  
5th floor,  
Pierre Gemayel Street,  
PO Box 90-873, Jdeideh  
El Metn, Lebanon  
T +961 1 888 391  
F +961 1 888 392  
E [contact\\_lb@somfy.com](mailto:contact_lb@somfy.com)  
[www.somfy.com.lb](http://www.somfy.com.lb)

### CYPRUS

131 Agias Fylaxeos  
Ave & Eratous Street 3038  
Limassol, Cyprus  
T +357 25 34 55 40  
F +357 25 34 19 48  
E [contact\\_cy@somfy.com](mailto:contact_cy@somfy.com)  
[www.somfy.com.cy](http://www.somfy.com.cy)

### JORDAN

16, Al Mahara Street,  
Al Rawabi District,  
11810 Wadi Al Sir,  
Amman, Jordan  
T +962 6 582 16 15  
F +962 6 582 83 39  
E [contact\\_jo@somfy.com](mailto:contact_jo@somfy.com)  
[www.somfy.jo](http://www.somfy.jo)

### KUWAIT

Office 19, Waha Mall,  
Al Dajij, Forwaniya, Kuwait  
T +965 2 43 48 901  
F +965 2 43 48 906  
E [contact\\_kw@somfy.com](mailto:contact_kw@somfy.com)  
[www.somfy.me](http://www.somfy.me)

### UNITED ARAB EMIRATES

Office No 2218  
22nd Floor,  
JAFZA One Building  
Behind Dubai Chamber,  
Jebel Ali, Dubai  
PO Box 61456  
T +971 4 88 32 808  
E [contact\\_gulf@somfy.com](mailto:contact_gulf@somfy.com)  
[www.somfy.me](http://www.somfy.me)

### KSA

**JEDDAH**  
Amalkis Center,  
2nd floor, Office 12,  
King Abdul Aziz road,  
Shati #3 District,  
Jeddah, KSA  
T +966 12 607 7265  
F +966 12 612 0564 Ext.100  
E [contact\\_sa@somfy.com](mailto:contact_sa@somfy.com)  
[www.somfy.me](http://www.somfy.me)

### RIYADH

Ma'az Center, Block B,  
2nd floor, Office 17,  
Salah El Dine Street,  
Sulaymaniyah,  
PO Box 245275  
Riyadh 11312, KSA  
T +966 11453 1287  
F +966 11 453 2342  
E [contact\\_sa@somfy.com](mailto:contact_sa@somfy.com)  
[www.somfy.me](http://www.somfy.me)

### DAMMAM / BAHRAIN

Port Gate Bldg,  
Port road,  
Dammam, KSA  
T +966 13 814 5715  
F +966 13 814 4957  
E [contact\\_sa@somfy.com](mailto:contact_sa@somfy.com)  
[www.somfy.me](http://www.somfy.me)

### TURKEY

İnkılap Mah. Küçüksu  
Cad. No:145  
34768 Ümraniye,  
İstanbul, Turkey  
T +90216 651 30 15  
F +90216 651 30 17  
E [info.turkey@somfy.com](mailto:info.turkey@somfy.com)  
[www.somfy.com.tr](http://www.somfy.com.tr)

**CENTRAL AFRICA**  
M (Nigeria) +228 900 477 64  
M (Senegal) +221 77 297 3060  
M (Togo) +228 900 477 64  
E [contact\\_centralafrica@somfy.com](mailto:contact_centralafrica@somfy.com)  
[www.somfy-africa.com](http://www.somfy-africa.com)

### MOROCCO

**CASABLANCA**  
106, Ghandi Boulevard. 20090  
Casablanca, Morocco  
T +212 5 22 44 35 00  
F +212 5 22 44 35 23  
E [contact\\_ma@somfy.com](mailto:contact_ma@somfy.com)  
[www.somfy.ma](http://www.somfy.ma)

### MARRAKECH

Souboula Residence,  
Angle Avenue Yacoub  
El Mansour & My Abdellah,  
Gueliz, Marrakech, Morocco  
T +212 5 22 43 45 75  
F +212 5 24 43 62 27  
E [contact\\_ma@somfy.com](mailto:contact_ma@somfy.com)  
[www.somfy.ma](http://www.somfy.ma)

### ALGERIA

19, Cirta Hydra road  
16 035 Alger, Algeria  
T/F +213 23 48 46 14  
M +213 770 17 11 17  
[www.somfy-africa.com](http://www.somfy-africa.com)

### TUNISIA

Tanit Center, 2046 Sidi Daoud,  
Rte Gp9, La Marsa, Tunisia  
T +216 70 93 74 77  
F +216 70 93 63 70  
E [contact\\_tn@somfy.com](mailto:contact_tn@somfy.com)  
[www.somfy.tn](http://www.somfy.tn)

### EGYPT

70 Al Thawra Street, 6th Floor,  
Heliopolis, Cairo, Egypt  
T/F +20 2 2291 2600  
E [contact\\_eg@somfy.com](mailto:contact_eg@somfy.com)  
[www.somfy.com.eg](http://www.somfy.com.eg)

### SOUTH AFRICA

4 Falcon Crescent,  
Airport City,  
Cape Town, South Africa  
T +27 21 380 0344  
F +27 21 380 0307  
E [contact\\_za@somfy.com](mailto:contact_za@somfy.com)  
[www.somfy.co.za](http://www.somfy.co.za)



A BRAND OF **SOMFY** GROUP

**somfy**